





#### FULINKAITAI MODULAR HOUSE

ONE-STOP SITE ACCOMMODATION SOLUTION

# Contents

01	Overall settings
02	Frame Color setting
03	Room layout ······2-4
04	Exterior Material setting5-6
05	Floor setting7-8
06	Windows Settings
07	Entrance Door setting10
08	Lamp shape selection1
09	Kitchen1
10	Bathroom
11	Others13
12	End14



# Part 1: Overall settings



20ft 37 Square meter 5.9m(L)\*6.3m(W)\*2.48m(H)

30ft 56 Square meter 9m(L)\*6.22m(W)\*2.48m(H)





40ft 73 Square meter 11.8m(L)\*6.22m(W)\*2.48m(H)

# Part 2:Frame color settings



- 1 -




White Black


# Part 3:Room settings




A 20ft One bedroom One bathroom




C 20ft Two bedroom One bathroom




E 20ft Three bedroom One bathroom



B 20ft
One bedroom
One bathroom




D 20ft Two bedroom One bathroom




F 20ft Three bedroom One bathroom


-2-




A 30ft One bedroom One bathroom




C 30ft
Three bedroom
One bathroom




B 30ft Two bedroom One bathroom




D 30ft Four bedroom One bathroom




A 40ft Two bedroom One bathroom




B 40ft Two bedroom One bathroom




C 40ft Two bedroom One bathroom



D 40ft Three bedroom One bathroom



E 40ft Four bedroom One bathroom



F 40ft Four bedroom Two bathroom


# Part 4: Exterior material settings



#### Metal carved board

**Highly decorative:** metal carved panels can present a variety of exquisite patterns and patterns through fine carving techniques.

**Easy to maintain:** The surface of metal carved panels is generally specially treated to have good anti-rust and anti-corrosion capabilities.



# Colored steel plate

**Durability:** steel sheets used in color-coated steel panels for container homes provide exceptional strength and resistance to corrosion, ensuring longevity and minimal maintenance. **Versatility:** color-coated steel panels offer a wide range of colors and finishes, allowing for customization and aesthetic flexibility in designing container homes to blend seamlessly with various surroundings.





- 5 -

# Part 5:Floor settings

# Vinyl floor 3mm

The 3mm vinyl flooring's increased thickness not only enhances its resistance to pressure and wear but also delivers superior sound insulation and comfort.

Moreover, this added depth significantly boosts the stability and durability of the floor, ensuring long-lasting performance in various environments.



7005




7006



7007







7008

7009

8005



8006







8007

8008

8009









9009







PVC floor 2mm

PVC floor 2mm is usually thin, but it has the characteristics of good flexibility and easy installation. It is suitable for light commercial places or home use.



### Part 6:Windows Settings

# Part 7:Entrance door settings



PVC window has excellent thermal insulation and waterproof properties, are easy to clean and maintain, and are relatively cheap.

#### **PVC** window



Broken Bridge Aluminum Window is designed with broken bridge aluminum material, which has excellent thermal insulation performance and wind pressure resistance. It is also sturdy and durable and can effectively isolate the indoor and outdoor temperature difference, improving the energy saving and comfort of the building.

# Broken bridge aluminum window



Aluminum alloy windows have the characteristics of light weight, high strength, and good corrosion resistance. They are suitable for the design of large-span windows, can achieve a larger opening area, provide better lighting effects, and are modern and beautiful at the same time.

# Aluminium alloy window



KFC shop style front door is a door with distinctive brand characteristics, usually made of glass, metal and other materials. It has a simple and elegant appearance while having good durability and safety.

### KFC shop style front door



Broken bridge aluminum door is made of broken bridge aluminum material, which has excellent heat insulation and thermal insulation properties. It can effectively prevent the exchange of hot and cold air, improve indoor comfort, and has good anti-theft performance and durability.

### Broken bridge aluminum door



Titanium magnesium alloy sliding door is made of titanium magnesium alloy, which has the advantages of light weight, high strength, corrosion resistance, wear resistance, smooth sliding and not easy to deform.

### Titanium magnesium alloy sliding door

- <sup>9</sup> - -10-

# Part 8:Lamp shape selection

# Part 10:Bathroom





Rectangular (embedded)

Square (embedded)





Round (embedded)

**Round** (Exterior mounting)



**Quality ceramic toilet** 




Washing basin with cabinet and mirror


# Part 9:Kitchen



L type kitchen cupboard
One is1700\*600 \*800mm, the other 1980\*600\*800mm, white



Separate shower room Fanshaped



Separate shower room Rectangle

# Part 11:Others





Porch with pitched roof

Pitched roof for house



Hand winch And Hydraulic telescopic rod

# **END**

https://expandihome.com.au

Thank you for exploring our selection.

Transform your vision into reality
with our versatile options.
Your dream home awaits!









-13-